S:\ALL-USERS\Arlington Echo 4th Grade Program\Arlington Echo 4th grade lessons\Quarter 3 Lessons/Severn Science Module/Indian Creek Exploration DRAFT-UPDATE January 2017

Supplement B: Background Information : Environmental Observation

Changing Climate and Maryland's Land Changes in the Chesapeake Region

The Chesapeake Bay is rising at two to three times the rate of worldwide sea levels. It rose more than a foot over the past 100 years compared to an average 4 to 8 inches during the same amount of time in other regions. Rising water is frequently attributed to "climate change". Whatever the cause, there is no question that the water level in the Chesapeake Bay is getting higher. This is caused by a combination of the sea rising 3 to 4 millimeters per year and subsidence, otherwise known as "land sinking", at about 1.3-7 millimeters per year. There are several technical reasons for subsidence to occur. However, 80 % of the time it is caused when we remove water and other materials from the earth leaving a void underground which can cause land to sink under the right circumstances. Erosion from the land that is then redeposited in other areas in large amounts also contributes to subsidence.

The land in the Chesapeake region has been sinking over the past 1,000 to 2,000 years. The rise in sea levels is a relatively new phenomenon and part of a global trend. As the earth warms, polar ice caps melt, the volume of water in the oceans expands, and sea levels rise.

Maryland's has 7,700 miles of coastline. The effect of local man-made structures, such as seawalls, bulkheads and homes on the shoreline is difficult to determine. It is already easy to observe areas of land on the eastern shore in homeowners' yards that are now wet most of the year that would not have been 35 years before. More than 13 islands in the bay have disappeared as of 2017.

According to scientific studies, sea level rise appears to be accelerating. The bay is very likely to rise 2 to 5 feet more by the end of this century. They also predict more intense storms, bigger water surges during storms, and higher high tides. Policymakers need to make tough decisions on where to spend limited resources to protect the shoreline and what to let go.

Reference:

Sea level Rise (Rising Seas Part 1: Sea level, sinking land put Maryland's waterfront communities at risk.) By Len Lazarick July 28, 2013)

Subsidence and Sea-Level Rise (NOAA) https://www.ngs.noaa.gov/GRD/GPS/Projects/CB/SUBSIDENCE/subsidence...

Sea Level Rise & Subsidence In Maryland and Delaware And ... c.ymcdn.com/sites/www.marylandsurveyor.org/resource/resmgr/2015...

Sea Level Rise & Subsidence In Maryland and Delaware . And . The New 2020 NGS Datum . MSS Chesapeake College Workshop . June 5, 2015 . By: Alan R. Dragoo, PLS Climate Change and the Chesapeake Bay | The Conservation Fund www.conservationfund.org/.../climate-change-and-the-chesapeake-bay Climate Change and the Chesapeake Bay The ... 25,000 copies of the map are being © 2017 The Conservation Fund

S:\ALL-USERS\Arlington Echo 4th Grade Program\Arlington Echo 4th grade lessons\Quarter 3 Lessons/Severn Science Module/Indian Creek Exploration

DRAFT-UPDATE January 2017

Erosion and Shoreline Background Information

Erosion is the process of wind, rain, and waves moving soil from one place to another, such as from the land to the water. While erosion is a natural process, it can be made worse by human development. Clearing land, for example, quickens the pace of erosion by removing trees and other plants which play a large role in erosion prevention by anchoring the soil in place with their roots.

Waterfront landowners face the challenge of keeping their property from eroding away. The most common method is building up a retaining wall called a **bulkhead**, made from wood or synthetic materials. The MDE banned the building of bulkheads in tidal areas, except for the replacement of pre-existing bulkheads. In areas of high wave action, **rock riprap revetments** are also used. While bulkheads and riprap revetments do a fair job of keeping their landowner's property intact, they





present some problems. Bulkheads and riprap revetments don't provide the grassy wetland habitat needed by various aquatic animals, such as small or baby fish, molting crabs, and other crustaceans. Bulkheads also suffer wear and tear and eventually need to be replaced, putting more expense on the landowner. Additionally, bulkheads and riprap don't diffuse wave energy; they simply pass it on to cause erosion on adjacent properties, as well as the churning up of the underwater soil, so that submerged aquatic vegetation (SAV's) cannot grow.



Living shorelines present an environmentally-friendly alternative. Using bio-logs made from coconut or other natural fiber, stakes, sand, and many native wetland plants, we can build a natural shoreline that serves the same purpose of preventing erosion and provides much needed habitat for aquatic life.

The Maryland Department of the Environment (MDE) now prefers the installation of living shorelines as the best erosion-prevention method in areas with low wave action. Even in areas with

moderate wave action, living shorelines can be installed as long as they're protected by rock riprap.

Supplement C

Discussion Points and Questions

Motivation/Warm-up - Poster Discussion

Point/Question	Discussion/Answer
Animals	
Plants	Submerged aquatic vegetation (SAVs) - plants such as underwater grasses and are important sources of food and habitat for wildlife.

S:\ALL-USERS\Arlington Echo 4th Grade Program\Arlington Echo 4th grade lessons\Quarter 3 Lessons/Severn Science Module/Indian Creek Exploration DRAFT-UPDATE January 2017

Bulkheads	Bulkheads are man-made wooden structures put in place to help prevent shoreline erosion. However, the water beats against the bulkhead instead of being slowed down. This action against the bulkhead prevents wildlife from being able to live there. Bulkheads are usually built with chemically treated wood to preserve the wood; these chemicals often leech into the water and are toxic to wildlife. They are now banned in tidal areas.
Riprap	Riprap is man-made rock structure to help prevent shoreline erosion. Due to the rough surface area, rock riprap slows the water on the way in and on the way out. However, because there is no plant life, they do not provide shelter or food for wildlife and don't make good habitats.
Living Shoreline	Living shorelines are plants put in place to prevent erosion. They slow water on the way in and on the way out. The plants provide shelter and a food source for wildlife. Submerged plants (SAVs) also provide dissolved oxygen in the water through the process of photosynthesis. They also filter out excess nutrients carried from the land and preventing them from entering the water.

Assessment

Assessment		
Point/Question	Discussion/Answer	
What are the physical	Bulkheads are hard and flat, riprap is hard but has many gaps, the living	
characteristics of the	shoreline has many grasses, etc.	
different types of		
shorelines?		
Why do you think	The living shoreline provides habitat and food for grass shrimp, small fish,	
people build different	larvae, molting crabs, and many other creatures. Bulkheads and riprap don't	
types shorelines?	provide sheltered habitat for wildlife. They also don't diffuse wave energy;	
	they simply pass it on to cause erosion on adjacent properties, as well as	
	churning up of the underwater soil, so that submerged aquatic vegetation	
	(SAVs) cannot grow. People might build riprap and bulkheads because they	
	don't require the same amount of maintenance as living shorelines and are	
	cheaper to implement.	
Which is the best way	Building living shorelines with native grasses is the best way to prevent	
to prevent shoreline	shoreline erosion. These decelerate waves from boats and storms which	
erosion?	cause shoreline damage. Grasses also slow down and filter stormwater	
	runoff from the land and provide habitat for aquatic animals. Rock rip rap	
	and wooden bulkheads help prevent erosion but they don't dampen the	
	waves. They provide only limited habitat, and they don't filter or slow down	
	runoff from the land. Often erosion will develop behind these structures	
	over time. These structures also make it difficult for amphibians and	
	terrestrial animals to get in and out of the water to preform activities such as	
	building nest and laying eggs.	
When you canoed into	There is less diversity on the left than on the right. The plants on the left are	
the cove toward the	a nonnative, invasive species called phragmites. Phragmites grows so	
wetland, did you notice	aggressively that it does not allow other plants to grow. Phragmites can also	
a difference between	threaten rare and endangered plants. The right side of the cove is a natural	
the plants on the left	wetland with many different kinds of native plants such as cord grass and	
compared to the plants	cattails. These native plants provide food for animals (pollen, nectar, fruits,	
on the right?	roots and seeds) and provide more habitat for birds, insects and other	
	animals.	

Supplement D: Poster

